800mm H x 500mm W - No Lighting



Dimensions*

Weight*

Height: 800mm

Width: 500mm Depth: 66mm

16kg

Frame Material

Glass Fibre Reinforced Concrete

Frame Finish Satin - Low gloss

Mount Type Wall mounted with french cleat

supplied. See mounting guide for


Warranty

2 years


Lighting

No Lighting (option with LED

backlighting also available)







^{*} The dimensions and weight are nominal measurements only. Due to the nature of concrete, there may be slight variation in colour, finish and weight. For more details on the characteristics of concrete, please refer to our Qualities of Concrete Guide.



800mm H x 500mm W - LED Backlight



Dimensions* Height: 800mm

Width: 500mm Depth: 76mm

Weight* 17kg

Frame Material Glass Fibre Reinforced Concrete

Frame Finish Satin - Low gloss

Mount Type Wall mounted with supplied french cleat/s.

Both horizontal and vertical mounting cleats supplied. See mounting guide for details.


Warranty 2 years

LEDs 10W, 24V, Rapid Neoflex, 4000k IP67

Driver 30 W, 24VDC LED Dimmable Driver - IP20

AS/NZS 61347.1, AS/NZS 61347.2.13, AS/

NZS 60598.1, AS CISPR 15



^{*} The dimensions and weight are nominal measurements only. Due to the nature of concrete, there may be slight variation in colour, finish and weight. For more details on the characteristics of concrete, please refer to our Qualities of Concrete Guide.



600mm H x 400mm W - LED Backlight



Dimensions* Height: 600mm

Width: 400mm Depth: 76mm

Weight* 12kg

Frame Material Glass Fibre Reinforced Concrete

Frame Finish Satin - Low gloss

Mount Type Wall mounted with supplied french cleat/s.

See mounting guide for details.


Warranty 2 years

LEDs 10 w 24v, Rapid Neoflex, 4000k IP67

Driver 20 W, 24VDC LED Dimmable Driver - IP20

AS/NZS 61347.1, AS/NZS 61347.2.13, AS/

NZS 60598.1, AS CISPR 15



^{*} The dimensions and weight are nominal measurements only. Due to the nature of concrete, there may be slight variation in colour, finish and weight. For more details on the characteristics of concrete, please refer to our Qualities of Concrete Guide.



600mm H x 400mm W - No Lighting



Dimensions* Height: 600mm

Width: 400mm

Depth: 64mm

Weight* 11kg

Frame Material Glass Fibre Reinforced Concrete

Frame Finish Satin - Low gloss


Mount Type Wall mounted with french cleat

supplied. See mounting guide for

Warranty 2 years

Lighting No Lighting (option with LED

backlighting also available)



^{*} The dimensions and weight are nominal measurements only. Due to the nature of concrete, there may be slight variation in colour, finish and weight. For more details on the characteristics of concrete, please refer to our Qualities of Concrete Guide.

